

CITY OF RALEIGH
EM JOHNSON WATER PLANT LABORATORY

Chromium 6 Data

Date of Collection	Location	Chromium 6, ug/l
1/26/2011	EMJ Finished	0.034
1/26/2011	EMJ Raw	<0.05
1/26/2011	DEB Finished	0.090
1/26/2011	DEB Raw	<0.05
3/10/2011	Distribution System 1	0.980
3/10/2011	Distribution System 2	0.880
3/10/2011	Distribution System 3	0.930
3/10/2011	Distribution System 4	0.930
3/10/2011	Distribution System 5	0.650
3/10/2011	Distribution System 6	1.100
6/15/2011	EMJ Finished	0.028
6/15/2011	EMJ Raw	<0.02
6/15/2011	DEB Finished	0.080
6/15/2011	DEB Raw	<0.02
6/15/2011	Distribution System 7	0.100
6/15/2011	Distribution System 8	0.047
10/26/2011	EMJ Finished	<0.02
10/26/2011	DEB Finished	0.036
10/26/2011	Distribution System 9	0.046
10/26/2011	Distribution System 10	0.053
10/26/2011	Distribution System 11	0.048
10/26/2011	Distribution System 12	0.026
1/23/2012	EMJ Finished	0.042
1/23/2012	EMJ Raw	<0.02
1/23/2012	DEB Finished	0.072
1/23/2012	DEB Raw	<0.02
1/23/2012	Distribution System 13	0.053
1/23/2012	Distribution System 14	0.068
4/23/2012	EMJ Finished	0.028
4/23/2012	EMJ Raw	0.036
4/23/2012	DEB Finished	0.068
4/23/2012	DEB Raw	<0.02
4/23/2012	Distribution System 13	0.038
4/23/2012	Distribution System 14	0.082
7/23/2012	EMJ Finished	0.048
7/23/2012	EMJ Raw	0.020
7/23/2012	DEB Finished	0.100
7/23/2012	DEB Raw	<0.02
7/23/2012	Distribution System 13	0.071
7/23/2012	Distribution System 14	0.100
12/18/2012	EMJ Finished	<0.02
12/18/2012	EMJ Raw	<0.02
12/18/2012	DEB Finished	<0.02
12/18/2012	DEB Raw	<0.02
12/18/2012	Distribution System 13	0.023
12/18/2012	Distribution System 14	0.024
6/10/2013	EMJ Finished	0.055
6/10/2013	DEB Finished	0.047
6/10/2013	Distribution System 13	0.056

6/10/2013	Distribution System 14	0.041
9/12/2013	EMJ Finished	0.067
9/12/2013	DEB Finished	0.037
9/12/2013	Distribution System 13	0.099
9/12/2013	Distribution System 14	0.036
12/9/2013	EMJ Finished	0.071
12/9/2013	DEB Finished	0.030
12/9/2013	Distribution System 13	0.095
12/9/2013	Distribution System 14	0.051
3/13/2014	EMJ Finished	0.067
3/13/2014	DEB Finished	0.031
3/13/2014	Distribution System 13	0.082
3/13/2014	Distribution System 14	0.031
12/11/2014	EMJ Finished	0.050
12/11/2014	DEB Finished	<0.02
12/11/2014	Distribution System 13	0.050
12/11/2014	Distribution System 14	0.030
12/31/2014	DEB Finished	<0.02
12/31/2014	EMJ Raw	0.100
12/31/2014	DEB Raw	0.090
12/10/2015	EMJ Finished	0.062
12/10/2015	EMJ Raw	0.032
12/10/2015	DEB Finished	<0.03
12/10/2015	DEB Raw	<0.03
12/10/2015	Distribution System 13	0.072
12/10/2015	Distribution System 14	0.036