

610 POLK STREET

Date of Issue

**Expiration Date** 

1/2/2016

## CERTIFICATE OF APPROPRIATENESS PLACARD

for Raleigh Historic Resources

# Address OAKWOOD Historic District Historic Property 093-15-MW Certificate Number 7/2/2015

This card must be kept pasted in a location within public view until all phases of the described project are complete. The work must conform with the code of the City of Raleigh and laws of the state of North Carolina. When your project is complete, you are required to ask for a final zoning inspection in a historic district area. Telephone the RHDC office at 832-7238 and commission staff will coordinate the inspection with the Inspection, your Certificate of Appropriateness is null and void.

| n   |  | n   |      |       |      |
|-----|--|-----|------|-------|------|
| Pro | ject   | IIA | ccri | ntı   | vu.  |
| 110 | וטטו   | טע  | งนา  | MII   | uii. |
|     | Contract Con |     |      | 21000 |      |

| Install 10x12 shed in rear yard |  |  |  |  |  |
|---------------------------------|--|--|--|--|--|
|                                 |  |  |  |  |  |
| OK to PERMIT                    |  |  |  |  |  |
|                                 |  |  |  |  |  |
|                                 |  |  |  |  |  |
|                                 |  |  |  |  |  |
|                                 |  |  |  |  |  |
|                                 |  |  |  |  |  |
|                                 |  |  |  |  |  |
|                                 |  |  |  |  |  |
|                                 |  |  |  |  |  |
|                                 |  |  |  |  |  |
|                                 |  |  |  |  |  |
|                                 |  |  |  |  |  |
|                                 |  |  |  |  |  |

Signature Raleigh Historic Development Commission

Pending the resolution of appeals, commencement of work is at your own risk.



Development Services
Customer Service Center
One Exchange Plaza
1 Exchange Plaza, Suite 400
Raleigh, North Carolina 27601
Phone 919-996-2495
eFax 919-996-1831

### Raleigh Historic Development Commission - Certificate of Appropriateness (COA) Application

|   |  |   |   |                     | 7,11   |  |  |
|---|--|---|---|---------------------|--|--|--|
| 3   | . A∏ (   | Minor Work (staff review) – 1 o<br>Major Work (COA Committee<br>☐ Most Major Work Applica | review) – 13 copies<br>itions<br>% of Building Square Footage<br>toric Resource | e<br>e              | For Office Use Only  Transaction # 435290  File # 093-15-MM  Fee 29.00  Amt Paid 29.00  Check # 2123  Rec'd Date 6/9/2015  Rec'd By 800  OMended 6/26/16 |  |  |
| C   | If completing by hand, please use BLACK INK. Do not use blue, red, any other color, or pencil as these do not photocopy. |   |   |                     |  |  |  |
| Prope   | rty  | Street Address 610 Polk Street  | , Raleigh, NC 27604   |                     |  |  |  |
| Histor  | ic D   | vistrict Historic Oakwood   |   |                     | 8  |  |  |
| Histor  | Historic Property/Landmark name (if applicable) The Young House  |   |   |                     |  |  |  |
| Owne  | r's i  | Name Mary Grillo & Troy Madd  | ocks  |                     |  |  |  |
| Lot size .13 acre (width in feet) 46  |  |   | (width in feet) 46  | (depth in feet) 160 |  |  |  |
| For applications that require review by the COA Committee (Major Work), provide addressed, stamped envelopes to owners of all properties within 100 feet (i.e. both sides, in front (across the street), and behind the property) not including the width of public streets or alleys:                          |  |   |   |                     |  |  |  |
| Property Address  |  |   | ss  | Property Address    |  |  |  |
| n/a   |  |   |   |                     |  |  |  |
|   |  |   |   |                     |  |  |  |
|   |  |   |   |                     |  |  |  |
|   |  |   |   |                     |  |  |  |
|   |  |   |   |                     |  |  |  |
| I understand that all applications that require review by the commission's Certificate of Appropriateness Committee must be submitted by 4:00 p.m. on the application deadline; otherwise, consideration will be delayed until the following committee meeting. An incomplete application will not be accepted. |  |   |   |                     |  |  |  |

| Type or print the following:   |   |                                     |  |                   |  |
|--|---|-------------------------------------|--|-------------------|--|
| Applicant Mary Grillo & Troy Maddocks  |   |                                     |  |                   |  |
| Mailing Address 610 Polk St.   |   |                                     |  |                   |  |
| City Raleigh State NC Zip Code 27604   |   |                                     |  | Zip Code 27604    |  |
| Date 06/09/2015  | Date 06/ <b>Q</b> 9/2015 Daytime Phone 919-649-1798 |                                     |  |                   |  |
| Email Address mbgril   | llo@yahoo.com                                       |                                     |  |                   |  |
| Signature of Applican  | t   |                                     |  |                   |  |
|  | 91  |                                     | A STATE OF THE STA |                   |  |
| Work Certificate of Appropriateness. It is valid until   |   |                                     |  |                   |  |
|  |   |                                     | V  |                   |  |
| Project Categories (ch   |   | ce a                                |  | (Office Use Only) |  |
| X Addition   |   |                                     |  | # PAGE 140        |  |
| ☐ New Construction   |   |                                     | Type of Work   |                   |  |
| □ Demolition   |   |                                     |  |                   |  |
| Will you be applying for state or federal rehabilitation tax credits for this project?         |   |                                     |  |                   |  |
| □ Yes  |   |                                     |  |                   |  |
| X No   |   |                                     |  |                   |  |
|  |   |                                     |  |                   |  |
| Design Guidelines Please cite the applicable sections of the design guidelines (www.rhdc.org). |   |                                     |  |                   |  |
| Section/Page   | Section/Page Topic Brief Description of Work        |                                     |  |                   |  |
| 2/19 Accessory Structures  |   | Addition of a 10'x12' detached shed |  |                   |  |
|  |   |                                     |  |                   |  |
|  | *   |                                     |  |                   |  |
|  |   |                                     |  |                   |  |
|  |   |                                     |  |                   |  |

| TO BE COMPLETED BY APPLICANT |  |   |             |     | TO BE COMPLETED BY CITY STAFF |    |     |
|------------------------------|--|---|-------------|-----|-------------------------------|----|-----|
|                              |  |   | YES         | N/A | YES                           | NO | N/A |
| graphic i<br>be sure y       | information<br>your applic<br>York (staff        | "sheets with written descriptions and drawings, photographs, and other in necessary to completely describe the project. Use the checklist below to ation is complete.  "review) – 1 copy  Committee review) – 13 copies   |             |     |                               |    |     |
| 1.                           |  | description. Describe clearly and in detail the nature of your project. exact dimensions for materials to be used (e.g. width of siding, window .)  | $\boxtimes$ | ñ   |                               |    |     |
| 2.                           | Descripti  | ion of materials (Provide samples, if appropriate)  | $\boxtimes$ |     |                               |    |     |
| 3.                           | Photographs of existing conditions are required. |   | $\boxtimes$ |     |                               |    |     |
| 4.                           | Paint Sch  | nedule (if applicable)  | $\boxtimes$ |     |                               |    |     |
| 5.                           | sidewalk<br>includes<br>accurate<br>you boug     | in (if applicable). A plot plan showing relationship of buildings, additions, is, drives, trees, property lines, etc., must be provided if your project any addition, demolition, fences/walls, or other landscape work. Show measurements. You may also use a copy of the survey you received when ght your property. Revise the copy as needed to show existing conditions proposed work. | $\boxtimes$ |     |                               |    |     |
| 6.                           | Drawings showing proposed work                   |   |             |     |                               |    |     |
|                              |  | Plan drawings   |             |     |                               |    |     |
|                              |  | Elevation drawings showing the new façade(s).   | $\boxtimes$ |     |                               |    |     |
|                              |  | Dimensions shown on drawings and/or graphic scale.  |             |     |                               |    |     |
|                              |  | $8\text{-}1/2" \times 11"$ reductions of full-size drawings. If reduced size is so small as to be illegible, make $8\text{-}1/2" \times 11"$ snap shots of individual drawings on the big sheet.  |             |     |                               |    |     |
| 7.                           |  | envelopes addressed to all property owners within 100 feet of property ting the width of public streets and alleys. (Required for Major Work)   |             | ×   |                               |    |     |
| 8.                           | 8. Fee (See Development Fee Schedule)            |   |             |     |                               |    |     |

We are proposing the addition of a detached 10'x12' shed at the rear south east corner of the backyard. The shed will be constructed of solid wood. Peak height is 7'. The shed has two operable windows of 16"x22" and two transom windows 9"x27". There are two 28" doors. The dormer overhang is 6" in the front and 4 " on the sides. The shed does not interfere with any major tree root systems.

The shed will be painted the same colors as the house.

The primary color, body of house: Sherwin Williams Coastal Plain


Entrance door, window sash: black

Door and window trim: Sherwin Williams, Eider White

Rake: Sherwin Williams Comfort Gray



Home Patio & Outdoor Sheds & Barns



### Stonecroft 12' x 10' Wood Storage Shed

☐ Compare product

Item #991010

Features: Solid 2" x 4" Wood Framing, 990 Cubic Ft. of Storage, 4 Windows, Pre-cut and Ready for Assembly, Floor Kit Included

Assembly Manual

Shipping & Handling included \*

Your Price \$2,599.99

QUANTITY 1

Add to Cart

Add to Wish List Print this Page Members Also Viewed



Wilmington 12' x 8' Wood Storage Shed 素養養 (7)

京京武宗 (7) \$1,499.99



Lifetime Brighton 8' x 15 Storage Shed

★★★★ (21) \$1,399.99

Product Details Specifications Shipping & Terms Returns/Warranty Reviews (3)

### Product details have been supplied by the Manufacturer, and are hosted by a third party.

BEFORE ORDERING – Be sure to check your local building and zoning codes and ensure that all appropriate permits have been acquired.

Always check with your local building authority and homeowners association for restrictions/requirements before finalizing your purchase.

At this time orders for this item cannot be delivered to Florida addresses.




The Stonecroft storage building by Yardline changes the way you'll think about a traditional backyard shed. The Stonecroft is a 12 ft. x 10 ft. gable design building that provides a massive 990 cubic feet of storage capacity, so you'll have plenty of space for riding mowers, lawn tools, building materials, and more. The Stonecroft offers a huge 56 in. door opening allowing access to a wide variety of lawn and agricultural equipment. The gorgeous and unique roof dormer features charm combined with functionality. The roof dormer's double transom windows, along with the two traditional windows on each side of the double doors, will light up your Stonecroft shed just like your home!

Hand-crafted with pride in the USA!

### Includes Loft, Shelf, and Workbench!

The Stonecroft's 990 cubic feet of storage capacity is outfitted with a loft, shelf, and workbench. Consider it a workshop, craft room, and storage shed in one convenient package.

- Storage Loft: 8 ft.
- Shelf: 10 ft.
- · Workbench: 10 ft.



## POLK STREET

610 POLK STREET

DEED REFERENCE: bk. 2982 pg. 573



### **Tully, Tania**

From:

Tully, Tania

Sent:

Tuesday, June 16, 2015 11:18 AM

To:

'mbgrillo@yahoo.com'

Subject:

COA Application for 610 Polk Street

Mary & Troy -

I am in receipt of your COA application for installation of a rear yard shed. The application is complete and largely meets the Guidelines. However, I am unable to approve the shed as submitted due to the faux wood grain surface texture. In prior COA decisions, the committee has determined that faux wood grain textures do not meet <u>Guideline</u> 2.6.7.

You have a couple options:

- 1. Amend the application to use an exterior siding product (this or another) with a smooth finish.
- 2. Convert the application to a Major Work for review by the commission at a quasi-judicial public hearing. Conversion to a major work would require the following:
  - a. An additional \$115 to cover the fee;
  - b. stamped addressed envelopes for noticing;
  - c. additional copies of the application package (12).

Please let me know how you wish to proceed.

- Tania

Tania Georgiou Tully, Preservation Planner Long Range Planning Division Raleigh Department of City Planning 919.996.2674 919.516.2684 (fax) tania.tully@raleighnc.gov

COA process information is available here.

You have reached the cached page for http://www.costco.com/Stonecroft-12'-x-10'-Wood-Storage-Shed.product.100161777.html

Below is a snapshot of the Web page as it appeared on 5/28/2015 (the last time our crawler visited it). This is the version of the page that was used for ranking your search results. The page may have changed since we last cached it. To see what might have changed (without the highlights), go to the current page.

You searched for: stonecroft wood storage shed We have highlighted matching words that appear in the page below.

Bing is not responsible for the content of this page.

Home Patio & Outdoor Sheds & Barns



### \$1,999.99 After \$600 OFF

### Stonecroft 12' x 10' Wood Storage Shed

Compare product

Item #991026

Features: Solid 2" x 4" Wood Framing, 990 Cubic Ft. of Storage, 4 Windows, Pre-cut and Ready for Assembly, Floor Kit Included

Assembly Manual

Valid 4/27/15 through 5/31/15. While supplies last.

Online Price \$2,599.99

-\$600.00

\$1,999.99 Your Price

Shipping & Handling included \*

QUANTITY 1

Add to Cart

Add to Wish List Print this Page

**Product Details** 

Specifications | Shipping & Terms | Returns/Warranty

### Product details have been supplied by the Manufacturer, and are hosted by a third party.

BEFORE ORDERING - Be sure to check your local building and zoning codes and ensure that all appropriate permits have been acquired.

Always check with your local building authority and homeowners association for restrictions/requirements

finalizing your purchase.

At this time orders for this item cannot be delivered to Florida addresses.



Hand-crafted with pride in the USA!

### way you'll think about a traditional backyard shed. The Stonecroft is a 12 ft, x 10 ft, gable design building that provides a massive 990 cubic feet of storage capacity, so you'll have plenty of space for riding mowers, lawn tools, building materials, and more. The Stonecroft offers a huge 56 in. door opening allowing access to a wide variety of lawn and agricultural equipment. The gorgeous and unique roof dormer features charm combined with functionality. The roof dormer's double transom windows, along with the two traditional windows on each side of the double doors, will light up your Stonecroft shed just like your home!

## The Stonecroft storage building by Yardline changes the


### Includes Loft, Shelf, and Workbench!


The Stonecroft's 990 cubic feet of storage capacity is outfitted with a loft, shelf, and workbench. Consider it a



workshop, craft room, and storage shed in one convenient package.

- Storage Loft: 8 ft.
- Shelf: 10 ft.
- · Workbench: 10 ft.





\*Pegboard shown for demonstration purposes only.



Features a side wall peak height of 7 ft. to easily store long-handled tools and equipment. The extra stand tall room will also make it easy to navigate inside.


- Two pre-assembled, pre-hung 28 in. doors (generous 56 in. opening)
- Doors operate on strong 6 ft, long piano hinges
- Includes secure locking T-handle, keys, and hardware
- Side walls constructed with strong 2 in. x 4 in. lumber that provide ample space for long-handled tools, ladders, and more
- · 990 cubic feet of storage
- Floor size: 144 in. L x 120 in. W
- Peak height: 10 ft. (bottom of floor joists to peak)
- · Side wall peak height: 7 ft.
- Package dimensions: 96 in. L x 48 in. W x 25 in. H
- · Total weight: approximately 1,530 lbs


Features 7' Tall Side Walls

### Lets Natural Light Inside

Featuring two operable windows and two transom windows, there will be plenty of natural light inside – making your day-to-day tasks much easier.


- Includes two (2) operable windows, each 16 in. L x 22 in. W
- Includes two (2) transom windows, each 9 in. L  $\times$  27 in. W






### Large Overhangs Provide Admirable Styling and Lasting Protection from the Elements

- Front overhang of 7-1/2 in. with 8-1/2 in. side overhangs
- Dormer overhang of 6 in. on the front and 4 in. on the sides




### **Traditional Wood Siding**

- · Engineered and treated
- · Environmentally friendly
- · Resists fungal decay and termites
- · Renewable resource
- Superior performance
- Easy to paint









### Features Robust 2 in. x 4 in. Framing

Includes the most solid floor system in its class. Constructed of treated 2 in, x 4 in, framing with 16 in, joist spacing. OSB decking is an engineered wood product designed for strength, durability and consistency, 5/8 in, sheets cover the floor frame providing years of safe and dependable storage.

## Designed for Easy Do-it-yourself Assembly, the Stonecroft is 100% Pre-cut with Nothing to Saw

All assembly hardware and instructions are included. Our toll-free consumer helpline is there ready to guide you throughout the assembly process if needed.

- Paint and shingle to match your home or suit your taste (paint & shingles shown, but are not included)
- It is recommended that all seams be sealed with caulking prior to painting

Assembly Required: Assembly requires intermediate carpentry skills and will require 2 people/2 days to complete; 1 day to assemble the shed and 1 day to paint, caulk, and shingle the shed.

### Furnished by homeowner:

- Approximately 2 gallons of exterior latex paint for siding
- Approximately 1 quart of exterior latex paint for trim
- Approximately 1 quart of exterior latex paint for doors
- Approximately 3 tubes of caulk
- · 7 bundles of roofing shingles and appropriate nails/fasteners





- Hammer
- Phillips
- Screwdriver
- Tape measure
- Level
- Stepladder
- Cordless drill
- Painting tools
- · Safety Glasses

### 15-Year Limited Warranty

Our products are thoroughly tested to handle the harsh

### Stonecroft 12' x 10' Wood Storage Shed

elements of Mother Nature and are designed for easy assembly. To prove our commitment to quality, the Stonecroft is complemented by a 15-year limited warranty.



### **Documents**

Assembly Instructions Download 2,68 MB

- · Brand: Yardline
- Dimension: 12 ft. x 10 ft.
- · Floor: Yes
- · Material: Wood
- Shelves: Yes

Standard shipping via common carrier is included in the quoted price. <u>Curbside delivery\*</u>, signature required. Carrier will call to set up a delivery time. Extraordinary delivery requirements may necessitate an additional fee to the carrier. The estimated delivery time will be approximately 2 - 3 weeks from the time of order.

Delivery is available to Alaska, Hawaii and Puerto Rico. An additional shipping and handling fee will be applied at check out and additional transit time will be required. Locations outside of a regular delivery area may be restricted. Click here to view restricted areas. To inquire about delivery to these areas, please contact customer service.

Once you have received your shipping confirmation email please call Yardline at 1-800-844-9273 to track your order.

Costco.com products can be returned to any of our more than 600 Costco warehouses worldwide. How to Return: For an immediate refund (including shipping and handling), simply return your purchase at any one of our Costco warehouses worldwide. If you are unable to return your order at one of our warehouses, please email customer service or call our customer service center at 1-800-955-2292 for assistance. To expedite the processing of your return, please reference your order number.

If you request an item be picked up for return, the item must be packaged and available for pick up in the same manner as it was delivered. If your order was delivered "curb side", it will need to be available for curb side pick up. If the item arrived to you in a box, it will need to be in a box at the time of pick up.

View Costco's Return Policy.

For information or a written copy of the manufacturer's warranty, please contact us at: warranty@contactcostco.com. Please wait, the reviews should load in just a moment.

### Tully, Tania

From:

Mary Grillo <mbgrillo@yahoo.com>

Sent:

Monday, June 29, 2015 1:54 PM

To:

Tully, Tania

Subject:

Re: COA Application for 610 Polk Street

Follow Up Flag:

Follow up

Flag Status:

Flagged

Hi Tania,

We have decided to add a (smooth) siding to the shed to comply with the standards. My husband dropped off a brief addendum on Friday. I wanted to make sure that you received it and see what the next step is.

Thank you, Mary Grillo 610 Polk ST.

On Tuesday, June 16, 2015 5:09 PM, "Tully, Tania" < Tania. Tully@raleighnc.gov > wrote:

### Mary -

I agree with the premise, but the shed you propose is not solid wood. It is an engineered wood product with an artificial cedar grain texture.

http://www.costco.com/Stonecroft-12'-x-10'-Wood-Storage-Shed.product.100161778.html

If I am looking at the wrong product please let me know.

If, in fact, the siding is an exposed grain, then it is approvable. Cedar sided buildings were uncommon, but not unheard of.

### -Tania

Tania Georgiou Tully, Preservation Planner Long Range Planning Division Raleigh Department of City Planning 919.996.2674 919.516.2684 (fax) tania.tully@raleighnc.gov

COA process information is available here.

From: mbgrillo@yahoo.com [mailto:mbgrillo@yahoo.com]

Sent: Tuesday, June 16, 2015 4:28 PM

To: Tully, Tania

Subject: Re: COA Application for 610 Polk Street

Amendment

135290

June 24, 2015

Amendment to Application for the installation of a rear yard shed at 610 Polk Street:

Addition of an exterior siding product with a smooth wood finish: 11"x16" with a smooth wood finish. This will replace the faux wood finish as originally proposed. The exterior color schedule will remain the same.

